



MySat

SCANNING INSTRUCTIONS **RE BOX**





MySat

ON THE MYSAT REMOTE



PRESS **MENU**


STEP 1



MySat

PRESS **OK** ON INSTALLATION

08:42 20/02/2024
Tuesday



Channel



Epg



CA



Media



System

STEP 2



MySat

PRESS **OK** ON CHANNEL SEARCH

Installation


Tuesday 20/02/2024


08:43


Dish Setting

Motor Setting

Channel Search >

 Select

 Back

 Exit

STEP 3



MySat

GO TO TRANSPONDER AND PRESS THE GREEN BUTTON TO ADD TRANSPONDER

Channel Search

Tuesday 20/02/2024

08:4

Satellite Ku_INTELSAT19 (166.0E)

Transponder TP1 12646/28066/H >




CA Type ALL

CH Type TV&Radio

Search Type Search One Satellite

Strength _____ 0%

Quality _____ 0%

 Edit TP  Add TP  Delete Current TP

STEP 4



MySat

**CHANGE FREQUENCY TO
“12446” AND SYMBOL TO “26667”
AND POLARIZATION TO HORIZONTAL (HOR)
AND PRESS SAVE**

Channel Search Tuesday 20/02/2024 08:4

Satellite
Transponder
CA Type
CH Type
Search Type

Add TP

Frequency	0 0 0 0
Symbol	0 0 0 0
Polarization	Horizontal


Strength _____ 0%
Quality _____ 0%

STEP 5



MySat

PRESS **MENU** ONCE TO RETURN
TO **INSTALLATION** OPTIONS
AND PRESS **OK** ON DISH SETTING



STEP 6



MySat

- GO DOWN TO **TRANSPONDER**
- PRESS THE **RIGHT** BUTTON NEXT TO THE **OK**
- SELECT THE TP WITH THE NUMBERS ABOVE & PRESS **OK**
- ENSURE STRENGTH AND QUALITY ON THE BOTTOM IS ABOVE **75%** AND STABLE




STEP 7



MySat

GO UP TO SATELLITE

- PRESS THE **RED** BUTTON THAT SAYS **"FIND"** ON THE REMOTE
- CHANNELS WILL SCAN AND WILL BE AVAILABLE FROM **24-28 & 44-46**



STEP 8



MySat

Program Search Tuesday 20/02/2024 00:00

Message Box

Search finished,[Exit] to exit

OK

Progress 100%

Strength 0dBuV

Quality 0%

Ku_INTELSAT19 12726 MHz 28066 Kbps Horizontal
TV: 0 Radio: 0

EXIT Search finished,[Exit] to exit

STEP 9