



MySat

SCANNING INSTRUCTIONS **SATKING BOX**





MySat

ON THE MYSAT **REMOTE**



PRESS **MENU**

STEP 1



MySat

**CHANNEL SEARCH WILL APPEAR.
PRESS OK ON DISH SET UP**




STEP 2




MySat

ONCE ON THIS PAGE, PRESS "SAT" BUTTON

 Dish Setup

Satellite	
001 166.0E Ku_INTELSAT 19	Ku_INTELSAT 19
002 166.0E C_INTELSAT 19	
003 113.0E C_PALAPA D	
004 100.5E C_ASIASAT 2	
005 105.5E C_ASIASAT-7	
006 122.2E C_ASIASAT 4	
007 122.2E Ku_ASIASAT 4	
008 083.0E C_INSAT 2E,3B	

LNB Type	11300
LNB Power	Off
22KHz	Auto
Toneburst	None
DiSEqC1.0	None
DiSEqC1.1	None
Motor	None

Quality 


SAT TransPonder OK Select Edit Scan
EXIT EXIT Add Delete

STEP 3



MySat

AFTER THE SAT BUTTON 'TRANSPONDERS' WILL APPEAR - PRESS THE RED BUTTON TO ADD TRANSPONDER

 Dish Setup

TransPonder		Ku_INTELSAT 19	
001	12646 H 28066	LNB Type	11300
002	12726 H 28066	LNB Power	Off
003	12286 H 30000	22KHz	Auto
004	12326 H 28800	Toneburst	None
005	12395 H 2776	DiSEqC1.0	None
006	12462 H 2222	DiSEqC1.1	None
007	12502 V 3074	Motor	None
008	12526 H 28800		

Quality 

SAT Satellite OK Select Edit Scan
EXIT EXIT Add Delete

STEP 4



MySat

**CHANGE FREQUENCY TO
"12446" AND SYMBOL TO "26667"
AND POLARIZATION TO HORIZONTAL (HOR)
AND PRESS OK TO SAVE**

 Dish Setup

TransP	Add	
001 12646 H 28	TransPonder	012
002 12726 H 28		1300
003 12286 H 30	Frequency:	12295
004 12326 H 28	Symbol	13333
005 12395 H 27		Off
006 12462 H 22	Polarity	H
007 12502 V 3074	DISLQCT.1	Auto
008 12526 H 28800	Motor	None

Quality 

EXIT EXIT **OK** Confirm

STEP 5



MySat

- ENSURE QUALITY IS **RED** AND **STABLE**
- PRESS THE **BLUE** BUTTON TO SCAN

Dish Setup

Satellite	Settings
001 166.0E Ku_INTELSAT 19	Ku_INTELSAT 19
002 166.0E C_INTELSAT 19	LNB Type 11300
003 113.0E C_PALAPA D	LNB Power Off
004 100.5E C_ASIASAT 2	22KHz Auto
005 105.5E C_ASIASAT-7	Toneburst None
006 122.2E C_ASIASAT 4	DiSEqC1.0 None
007 122.2E Ku_ASIASAT 4	DiSEqC1.1 None
008 083.0E C_INSAT 2E,3B	Motor None

Quality

SAT TransPonder **OK** Select Edit Scan
EXIT EXIT Add Delete

STEP 6



MySat

**CHANNEL SEARCH WILL APPEAR.
PRESS **OK** TWICE & WAIT UNTIL
THE SCAN ENDS**



STEP 7