



MySat

# SCANNING INSTRUCTIONS **KRS BOX**





MySat

# ON THE MYSAT REMOTE



PRESS **MENU**

STEP 1



MySat

**CHANNEL SEARCH WILL APPEAR.**  
**GO RIGHT AND PRESS OK ON ANTENNA SETTINGS**



**STEP 2**



MySat

PRESS OK ON **TRANSPONDER**

Antenna Setting

0% 0%

Satellite	Intelsat 8 Ku
Transponder	< 12646/H/28066 >
LNB Type	11300
DiSEqC	Off
DiSEqC Port	Off
22 KHz	Off
LNB Power	On
Network Search	Yes
Scan Mode	FTA+CAS

Search Edit Transponder Exit

STEP 3



MySat

PRESS THE **GREEN** BUTTON TO ADD

### Edit Transponder

< Intelsat 8 Ku:166.0° E >

- 001 12646MHz 28066Ks/s Hor DVB-S 3/4 Ok
- 002 12726MHz 28060Ks/s Hor DVB-S 3/4 Ok
- 003 12286MHz 28800Ks/s Hor DVB-S 3/4
- 004 12491MHz 04400Ks/s Ver DVB-S 3/4
- 005 12502MHz 03074Ks/s Ver DVB-S 3/4
- 006 12557MHz 13845Ks/s Hor DVB-S 3/4
- 007 12575MHz 13845Ks/s Hor DVB-S 2/3
- 008 12596MHz 02776Ks/s Hor DVB-S 3/4
- 009 12599MHz 04166Ks/s Hor DVB-S2 Auto

● Delete ● Add ● Edit EXIT Save

STEP 4



MySat

**CHANGE FREQUENCY TO  
"12446" AND SYMBOL TO "26667"  
AND POLARIZATION TO HORIZONTAL (HOR)  
AND PRESS EXIT TO SAVE**

### Add Transponder

Satellite	Intelsat 8 Ku
Frequency	00000
Symbol Rate	00000
Polarization	VER
Transport Spec	Auto
FEC	Auto


0-9 Edit EXIT Save

**STEP 5**



MySat

PRESS THE **RED** BUTTON TO SCAN  
AND WAIT UNTIL SCAN IS **FINISHED**



STEP 6